## IN THE CLAIMS

Please cancel claims 1-15 prior to calculating the filing fee, without prejudice or disclaimer, and add new claims 16 through 28, as follows:

## 1-15. (Canceled)

1

2

1

2

1

- 16. (New) A reproduction apparatus, comprising:
- a reproduction unit for reproducing image data recorded on a recording medium;
- a memory for storing the image data output from the reproduction unit;
- a controller for displaying the image data stored in the memory during a search mode in
- response to a search command to search for the image data recorded in the recording medium, and
- for displaying the image data recorded in the recording medium when the search mode finishes.
  - 17. (New) The reproduction apparatus as claimed in claim 16, wherein the controller stores
  - the image data output from the reproduction unit in the memory for a predetermined time period in
- response to the search command.
  - 18. (New) The reproduction apparatus as claimed in claim 17, further comprising a display
- 2 for displaying the image data.
  - 19. (New) The reproduction apparatus as claimed in claim 17, wherein the controller

displays the image data stored in the memory for a search period.

2

1

2

3

ı

2

3

4

5

6

7

1

2

3

4

5

6

20. (New) The reproduction apparatus as claimed in claim 17, further comprising a motor for moving the recording medium, wherein the controller sets the motor to a first speed for the predetermined time period and to a second speed for a search period.

21. (New) A method of processing a screen picture during a search, comprising the steps of: reproducing image data recorded on a recording medium in a normal mode for a predetermined time period when a search command is applied;

storing the reproduced image data;

executing the search while the stored image data is displayed;

eliminating the image data being displayed if desired image data is searched for, and displaying the desired image data.

22. (New) The method of processing a screen picture during a search as claimed in claim 21, further comprising the steps of:

determining whether display of the desired image data is completed and the search is to continue;

repeating the steps of executing, displaying, and determining when the display of the desired data is completed and the search is to continue.

- 23. (New) The method of processing a screen picture during a search as claimed in claim 22, wherein executing the search comprises a step of preventing image data reproduced from the recording medium from being displayed during the search.
  - 24. (New) A reproduction apparatus, comprising:

l

2

3

1

2

3

4

5

6

7

8

9

1

2

1

2

3

- a reproduction unit that reproduces image data recorded on a recording medium;
- a switch that selects the image data output from the reproduction unit according to a control signal;
  - a memory connected to the switch that stores the image data selected by the switch; and a controller for storing the image data reproduced by the reproduction unit in the memory for a predetermined time period in response to a search command to search for image data recorded on the recording medium, and for controlling the switch not to store the image data reproduced by the reproduction unit to the memory.
  - 25. (New) The reproduction apparatus as claimed in claim 24, wherein the controller controls the switch to display the searched for image data when the search is completed.
- 26. (New) The reproduction apparatus as claimed in claim 25, wherein the controller controls the reproduction apparatus to continue the search when the display of the searched for data is completed.

27. (New) The reproduction apparatus as claimed in claim 24, further comprising a motor for moving the recording medium, wherein the controller controls the motor to move the recording medium at a first speed for the predetermined time period and at a second speed after the predetermined time period.

ŧ

2

3

4

28. (New) The reproduction apparatus as claimed in claim 27, wherein the controller sets the speed of the recording medium at a first speed, and when desired image data is searched for, controls the switch to display the searched for image data.